L Number	Hits	Search Text	DB	Time stamp
5	2	("6304980").pn.	USPAT;	2003/08/07 17:42
·		`	EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
6	l· 1	6081883.pn. AND (file NEAR1 name\$1)	USPAT;	2003/08/07 19:21
"	•	(EPO; JPO;	
			DERWENT	
			IBM TDB	
7	1	6081883.pn. AND (backup back-up)	USPAT;	2003/08/07 19:32
'	'	backap back-up)	EPO; JPO;	2000/00/01 10:02
		•	DERWENT;	
			IBM_TDB	
	2	6360306.pn. AND multiple	USPAT;	2003/08/07 19:35
8		0300300.pn. AND multiple	EPO; JPO;	2000/00/07 10:00
			DERWENT;	· .
		•		
		0000000 AND / W. L. OANS wastername (MA)	IBM_TDB	2002/00/07 40:25
9	1	6360306.pn. AND (multiple SAME performance\$1)	USPAT;	2003/08/07 19:35
			EPO; JPO;	
	ł		DERWENT;	
			IBM_TDB	
-	30	(database\$1 NEAR1 cache\$1) AND (international AND	USPAT;	2003/08/07 15:48
		business AND machine\$1).as.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	81	(database\$1 NEAR1 cache\$1) AND 707/\$.ccls.	USPAT;	2002/11/11 17:17
	,		EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	60	((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT	USPAT;	2002/11/11 17:17
,		((database\$1 NEAR1 cache\$1) AND (international AND	EPO; JPO;	
		business AND machine\$1).as.)	DERWENT;	
		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	
_	206	database\$1 NEAR1 cache\$1	USPAT;	2002/11/11 17:34
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
_	20	(joon AND hwang).xa.	USPAT;	2002/11/12 18:50
	1	0	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	5	("5355497" "5367671" "5799318" "5907837"	USPAT	2002/11/11 17:28
	1	"5978791").PN.		
_	86	(database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:35
		cache\$1)	EPO; JPO;	
			DERWENT:]
			IBM_TDB	
_	43	((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:54
	75	cache\$1)) AND network\$3 AND remote\$2	EPO; JPO;	
	1	Cashow 1// / NAD HOLMONGO AND FORMOLOGE	DERWENT;]
			IBM TDB	
	22375	cache.ti,ab.	USPAT;	2002/11/11 17:54
1	223/3	Cache.ti,ab.		2002/11/11 17:04
			EPO; JPO;	
			DERWENT;	
1	074	cooks tilah AND (international AND business AND	IBM_TDB	2002/44/44 47:57
-	971	cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:57
		machine\$1).as.	EPO; JPO;	
	1		DERWENT;	,
		/ 1	IBM_TDB	0000444444
-	77	(cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:55
	[machine\$1).as.) AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	151 2 256 305 118 80 76	2 256 305 118 80	cache.ti,ab. AND (microsoft\$1).as. 6356863.pn. virtual NEAR2 file\$1 NEAR system\$1 virtual NEAR2 file\$1 NEAR2 system\$1 (virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed!) AND network\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 17:57 2002/11/12 16:47 2002/11/12 17:15 2002/11/12 16:54 2002/11/12 16:54 2002/11/12 16:54 2002/11/12 16:54
	256 305 118 80 76	256 305 118 80 76	virtual NEAR2 file\$1 NEAR system\$1 virtual NEAR2 file\$1 NEAR2 system\$1 (virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 17:15 2002/11/12 16:54 2002/11/12 16:54 2002/11/12 16:54
	256 305 118 80 76	256 305 118 80 76	virtual NEAR2 file\$1 NEAR system\$1 virtual NEAR2 file\$1 NEAR2 system\$1 (virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 17:15 2002/11/12 16:54 2002/11/12 16:54 2002/11/12 16:54
	256 305 118 80 76	256 305 118 80 76	virtual NEAR2 file\$1 NEAR system\$1 virtual NEAR2 file\$1 NEAR2 system\$1 (virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/12 17:15 2002/11/12 16:54 2002/11/12 16:54 2002/11/12 16:54
-	305 118 80 76	305 118 80 76	virtual NEAR2 file\$1 NEAR2 system\$1 (virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 16:54 2002/11/12 16:54 2002/11/12 16:54
	305 118 80 76	305 118 80 76	virtual NEAR2 file\$1 NEAR2 system\$1 (virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 16:54 2002/11/12 16:54 2002/11/12 16:54
	305 118 80 76	305 118 80 76	virtual NEAR2 file\$1 NEAR2 system\$1 (virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 16:54 2002/11/12 16:54 2002/11/12 16:54
	305 118 80 76	305 118 80 76	virtual NEAR2 file\$1 NEAR2 system\$1 (virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/12 16:54 2002/11/12 16:54 2002/11/12 16:54
-	118 80 76	118 80 76	(virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/12 16:54 2002/11/12 16:54
-	118 80 76	118 80 76	(virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/12 16:54 2002/11/12 16:54
-	118 80 76	118 80 76	(virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1 ((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/12 16:54 2002/11/12 16:54
-	80 76	80 76	((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/12 16:54
-	80 76	80 76	((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/12 16:54
-	80 76	80 76	((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/12 16:54
-	76	76	AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	
-	76	76	AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	
-	76	76	AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	
-	76	76	AND distributed! (((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	
-				IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/12 16:57
-				USPAT; EPO; JPO; DERWENT;	2002/11/12 16:57
-				EPO; JPO; DERWENT;	2002/11/12 10.5/
-	19		, and distributed, , and hetworker	DERWENT;	
-	19			IDM TOO	
-	19	1		IBM_TDB	
-		19	((((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 17:08
-			AND distributed!) AND network\$1) AND (load\$3 NEAR2 balanc\$3)	EPO; JPO; DERWENT;	·
-			balanc\$3)	IBM TDB	
-	73	73	virtual NEAR2 file\$1 NEAR system\$1	US-PGPUB	2002/11/12 17:08
-	98		virtual NEAR2 file\$1 NEAR2 system\$1	US-PGPUB	2002/11/12 17:08
-	360	360	(virtual NEAR2 file\$1) NEAR4 system\$1	USPAT;	2002/11/12 18:26
-				EPO; JPO; DERWENT;	
-				IBM_TDB	
-	256	256	((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5	USPAT;	2002/11/12 17:16
-				EPO; JPO;	
-				DERWENT;	
-	20	20	(((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5)	USPAT;	2002/11/12 18:28
-			AND (load\$3 NEAR2 balanc\$3)	EPO; JPO;	
-				DERWENT;	
-	3	,	6081883.uref.	IBM_TDB USPAT;	2002/11/12 18:22
· -	3	3	000 (003.ure). 	EPO; JPO;	2002/11/12 10.22
. -				DERWENT;	
-	_			IBM_TDB	
·	13	13	("5163131" "5355453" "5537585" "5561809" "5802366"	USPAT	2002/11/12 18:24
	ĺ		"5848293" "5864554" "5915094" "5933603" "5995708" "6081883" "6119150" "6275953").PN.		
_	ĺ	136	((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.	USPAT;	2002/11/12 18:27
	136		· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
	136			DERWENT;	
_	136	_	(((virtual NEAR2 file\$1) NEAR4 system\$1) ti ah) AND		2002/11/12 18:28
					2002/11/12 10:20
	136	1	,	DERWENT,	
		1	disadilada NEADO (/SI-04 NEADO 01) 00	IBM_TDB	0000/44/40 40 5
-	0		distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR database\$1)	USPAT; EPO; JPO;	2002/11/12 18:51
		6164	чакараз сф г <i>)</i>	DERWENT;	
	0	6164		IBM_TDB	
-	136	0	(((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.) AND (load\$3 NEAR2 balanc\$3) distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/11/12 18:28

440			
419	(distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	USPAT; EPO; JPO;	2002/11/12 18:52
	•	IBM_TDB	
5	((distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	USPAT; EPO; JPO;	2002/11/12 18:54
1727		IBM_TDB	2002/11/12 18:54
1737	(Viitual NEARS lile\$1)	EPO; JPO;	2002/11/12 10:04
1009	((virtual NEAR3 file\$1)) AND manage\$5	IBM_TDB USPAT;	2002/11/12 18:55
		EPO; JPO; DERWENT;	
539	(((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4)	USPAT;	2002/11/12 18:55
		DERWENT;	, ·
52	((((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4)) AND (load\$3 NEAR4 balanc\$3)	USPAT; EPO; JPO;	2002/11/12 20:04
44404	/ JRO NITATIO / 1 - RO	IBM_TDB	0000/44/40 40:27
14424	load\$3 NEAR2 balanc\$3	EPO; JPO;	2002/11/12 19:37
5252	(load\$3 NEAR2 balanc\$3) AND distribut\$4	IBM_TDB USPAT;	2002/11/12 19:37
		EPO; JPO; DERWENT;	
476	((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel	USPAT;	2002/11/12 19:38
	TALANZ Processor)	DERWENT;	
118	(((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR	USPAT; EPO; JPO;	2002/11/12 19:38
22050	,,	IBM_TDB	2002/11/12 20:05
23936	(load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.	EPO; JPO;	2002/11/12 20:03
17791	(load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.	IBM_TDB USPAT;	2002/11/12 20:05
		DERWENT;	
5	((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (virtual NEAR2 file\$1)	USPAT; EPO; JPO;	2002/11/12 20:08
		DERWENT; IBM_TDB	
.45	(virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))	USPAT; EPO; JPO;	2002/11/12 20:18
378	(virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1)	IBM_TDB USPAT;	2002/11/12 20:18
	NEAR10 (client\$1 OR user\$1))	EPO; JPO; DERWENT;	
15	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	IBM_TDB USPAT;	2002/11/12 20:24
	distribu\$4))) AND mover\$1	DERWENT; IBM_TDB	
	1737 1009 539 52 14424 5252 476 118 23958 17791 5 45	system\$1) OR database\$1)) ((distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2 system\$1) OR database\$1))) AND (virtual NEAR3 file\$1) ((virtual NEAR3 file\$1) ((virtual NEAR3 file\$1)) AND manage\$5 (((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4) (((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4)) AND (load\$3 NEAR4 balanc\$3) (((load\$3 NEAR2 balanc\$3)) AND distribut\$4 (((load\$3 NEAR2 balanc\$3)) AND distribut\$4) AND (parallel NEAR2 process\$3)) (((load\$3 NEAR2 balanc\$3)) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4) NEAR4 (file\$1 OR database\$1)) ((load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti, ab. ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti, ab. ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti, ab. ((virtual NEAR2 file\$1)) (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti, ab.) AND (virtual NEAR2 file\$1) (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1)) NEAR10 (client\$1 OR user\$1))	System\$1) OR database\$1) DERWENT; IBM, TDB USPAT; EPO; JPO; DERWENT; IBM, TDB USPAT; EPO; JPO

-	10	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3	USPAT; EPO; JPO;	2002/11/12 20:24
			DERWENT; IBM_TDB	
-	1	(((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1) AND bypass\$3	USPAT; EPO; JPO;	2002/11/12 20:24
		C204504 AND	DERWENT; IBM_TDB	2002/44/42 42:20
-	2	6324581.pn. AND mover\$1	USPAT; EPO; JPO; DERWENT;	2002/11/13 13:29
_	0	6324581.pn. AND multicast\$3	IBM_TDB USPAT;	2002/11/13 13:28
		'	EPO; JPO; DERWENT;	
-	1	(6324581.pn. AND mover\$1) AND updat\$3	IBM_TDB USPAT;	2002/11/13 13:28
			EPO; JPO; DERWENT; IBM_TDB	
-	1	6324581.pn. AND (mover\$1 NEAR8 updat\$3)	USPAT; EPO; JPO;	2002/11/13 13:31
			DERWENT; IBM_TDB	
-	2	6324581.pn. AND (mover\$1 NEAR8 metadata)	USPAT; EPO; JPO;	2002/11/13 13:34
	1	6324581.pn. AND (mover\$1 NEAR10 metadata) AND	DERWENT; IBM_TDB USPAT;	2002/11/13 15:20
_	'	(mover\$1 NEAR10 (updat\$3 OR chang\$3))	EPO; JPO; DERWENT;	2002/11/10 10:20
-	44	(virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	IBM_TDB USPAT;	2002/11/13 13:56
	·	cast\$3))	EPO; JPO; DERWENT; IBM_TDB	
-	0	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))) AND (parralel NEAR4 process\$4)	USPAT; EPO; JPO;	2002/11/13 13:53
		(Factorial Property)	DERWENT; IBM_TDB	
-	16	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))) AND (parallel NEAR4 process\$4)	USPAT; EPO; JPO;	2002/11/13 13:54
_	652	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR4 protocol\$1)	DERWENT; IBM_TDB USPAT;	2002/11/13 13:57
	002	((maideastee on (maid Abe i eastee)) NEAN4 protocolet)	EPO; JPO; DERWENT;	2002/11/10 10:0/
-	514	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)	IBM_TDB USPAT;	2002/11/13 13:57
			EPO; JPO; DERWENT; IBM_TDB	
-	37	(((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)) AND (parallel NEAR4 process\$4)	USPAT; EPO; JPO;	2002/11/13 13:58
		, ,	DERWENT; IBM_TDB	
-	1	6324581.pn. AND ((mover\$1 NEAR10 metadata) NEAR10 exchang\$3)	USPAT; EPO; JPO;	2002/11/13 14:08
_	1	6324581.pn. AND cach\$3	DERWENT; IBM_TDB USPAT;	2002/11/13 15:23
			EPO; JPO; DERWENT;	
	<u> </u>		IBM_TDB	

-	1	6081883.pn. AND cach\$3	USPAT; EPO; JPO;	2002/11/13 15:29
-	2	5948062.pn. AND load\$3	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 15:33
-	1	6453323.pn.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 16:16
-	8	("5469560" "5692155" "5758190" "5768620" "5813042" "5968182" "6088815" "6304980").PN.	IBM_TDB USPAT	2002/11/13 15:56
-	0	6304980.pn. AND geographical\$2	USPAT; EPO; JPO;	2002/11/13 16:17
-	2	6442548.pn.	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 16:38
-	. 2	5937406.pn.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 17:38
-	0	5937406.pn. AND cach\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 18:00
-	1	5937406.pn. AND memor\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 18:01
-	0	6304967.pn. AND translat\$4	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 10:50
-	3	6081883.uref.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:17
-	1	6081883.uref. AND translat\$4	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 10:52
-	13	("5163131" "5355453" "5537585" "5561809" "5802366" "5848293" "5864554" "5915094" "5933603" "5995708" "6011833" "6110150" "8275053") PM	IBM_TDB USPAT	2002/11/14 11:15
-	172	"6081883" "6119150" "6275953") PN. (front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)	USPAT; EPO; JPO; DERWENT;	2002/11/14 11:36
-	161	((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:18
-	108	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND remot\$2	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:19
-	50	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR storage\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:37

-	38	(((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND	USPAT;	2002/11/14 11:20
		network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4))	EPO; JPO;	
		AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1	DERWENT;	
	İ	OR storage\$1))) AND parallel	IBM_TDB	
-	12	(((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND	USPAT;	2002/11/14 11:36
		network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4))	EPO; JPO;	
		AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1	DERWENT;	
		OR storage\$1))) NOT (((((front ADJ1 end\$1) AND (back	IBM_TDB	
		ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1))		
		AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR		
		server\$1 OR database\$1 OR storage\$1))) AND parallel)		
-	1105	multi ADJ1 tier\$1	USPAT;	2002/11/14 11:36
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	12	(multi ADJ1 tier\$1) AND ((front ADJ1 end\$1) AND (back	USPAT;	2002/11/14 11:36
		ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	29320	(remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	USPAT;	2002/11/14 11:37
	1	storage\$1))	EPO; JPO;	
	1		DERWENT;	
		// /AAA/MADA/ // AAAA	IBM_TDB	
] -	87	((remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	USPAT:	2002/11/14 11:38
	•	storage\$1))) AND (multi ADJ1 tier\$1)	EPO; JPO;	
			DERWENT;	
		5000455 vv. AND 1:11	IBM_TDB	0000444444005
-	1	5692155.pn. AND kilometer\$1	USPAT;	2002/11/14 12:25
			EPO; JPO;	
		·	DERWENT;	
	0	FEGG155 pp. AND coarch\$3	IBM_TDB USPAT;	2002/11/14 12:25
-	"	5692155.pn. AND search\$3	EPO; JPO;	2002/11/14 12.25
			DERWENT;	
			IBM_TDB	
_	0	5692155.pn. AND mapping	USPAT;	2002/11/14 12:26
	"	0002100.pn: 7448 Mapping	EPO; JPO;	2002/11/14 12:20
			DERWENT;	
			IBM_TDB	
_	22	5692155.uref.	USPAT;	2002/11/14 17:47
			EPO; JPO;	
			DERWENT;	
	1	· ·	IBM_TDB	
-	17	5692155.uref. AND address\$2	USPAT;	2002/11/14 17:52
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	· 48	(secondary NEAR2 device\$1) AND (ip NEAR2 address\$2)	USPAT;	2002/11/14 17:53
			EPO; JPO;	
1 .			DERWENT;	
		//	IBM_TDB	00004444
-	14	((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:03
		AND backup	EPO; JPO;	
	1		DERWENT;	
	3	(//coopedan/ NEAP2 dovice\$1) AND /in NEAP2 address\$2))	IBM_TDB	2002/11/14 19:02
1	3	(((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2)) AND backup) AND (differen\$3 NEAR10 (ip NEAR2	USPAT; EPO; JPO;	2002/11/14 18:23
1	1	address\$2))	DERWENT;	
		audicooya] 	IBM_TDB	
1_	0	((((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:21
]	((((secondary NEAR2 devices)) AND (ip NEAR2 address\$2)) AND backup) AND (differen\$3 NEAR10 (ip NEAR2	EPO; JPO;	2002/11/14 10.21
	1	address\$2))) AND search\$3	DERWENT;	
	1		IBM_TDB	
				L

-	12223	search\$3 NEAR10 (backup OR second\$3)	USPAT;	2002/11/14 18:23
		•	EPO; JPO;	•
			DERWENT;	
	1748	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	IBM_TDB USPAT;	2002/11/14 18:24
-	1740	second\$3)	EPO; JPO;	2002/11/14 10:24
		Second(40)	DERWENT;	
			IBM_TDB	
_	149	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT:	2002/11/14 19:26
		(second\$3 NEAR2 (storage\$1 OR device\$1)))	EPO; JPO;	
		(DERWENT;	
		•	IBM_TDB	
-	3	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT;	2002/11/14 18:26
		(second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR	USPAT;	2002/11/14 18:29
		(second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	EPO; JPO;	
			DERWENT;	· ·
	404	(coorabes NEADA (files ADA deta)) NEADAO (crabités OD	IBM_TDB	2002/11/14 19:20
-	191	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR (second\$3 NEAR2 (storage\$1 OR device\$1)))	USPAT; EPO; JPO;	2002/11/14 18:39
•		(secondas NEARZ (storagea FOR devicea F)))	DERWENT;	
1			IBM TDB	
_	76	707/204.ccls. AND (search\$3 NEAR4 file\$1)	USPAT;	2002/11/14 18:47
	'		EPO; JPO;	= 30=2
			DERWENT;	
,			IBM TDB	
-	1	(707/204.ccls. AND (search\$3 NEAR4 file\$1)) AND failover	USPAT;	2002/11/14 18:40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5804	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR	USPAT;	2002/11/14 19:16
		request\$3)	EPO; JPO;	
	!		DERWENT;	
	40	(hrandontta OD multinostta) NEADS (noorahta NEADA	IBM_TDB	2002/44/44 40:46
-	49	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 NEAR4 request\$3)	USPAT; EPO; JPO;	2002/11/14 19:16
		Tequest#3)	DERWENT;	
			IBM_TDB	
	83	4914571.uref.	USPAT;	2002/11/14 19:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	4914571.uref. AND (search\$3 NEAR2 file\$1)	USPAT;	2002/11/14 19:10
			EPO; JPO;	
		•	DERWENT;	
	_	5720726 urof	IBM_TDB	2002/44/44 40:45
-	. 2	5729736.uref.	USPAT;	2002/11/14 19:15
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	6055	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR	USPAT;	2002/11/14 19:16
		request\$3 OR quer\$3)	EPO; JPO;	
		1	DERWENT;	
			IBM_TDB	
-	668	(multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)	USPAT;	2002/11/14 19:21
1			EPO; JPO;	
		<u>'</u>	DERWENT;	
		· · · · · · · · · · · · · · · · · · ·	IBM_TDB	
-	29	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3))	USPAT;	2002/11/14 19:17
		AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

		_		
-	238	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	USPAT;	2002/11/14 20:14
		quer\$3)).ti,ab.	EPO; JPO; DERWENT;	
	_		IBM_TDB	
-	5	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	USPAT;	2002/11/14 19:22
		quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3)	EPO; JPO;	
		NEAR4 file\$1).ti,ab.	DERWENT;	
			IBM_TDB	
-	51	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	ÚSPAT;	2002/11/14 19:27
		quer\$3)).ti,ab.) AND distributed	EPO; JPO;	
			DERWENT;	
·			IBM_TDB	
-	7	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	USPAT;	2002/11/14 19:27
		quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3)	EPO; JPO; ·	
		NEAR4 (database\$1 OR storage\$1))	DERWENT;	
			IBM_TDB	
_	5	("5390313" "5463578" "5819310" "5832522"	USPAT	2002/11/14 19:29
		"5892914").PN.		
<u>-</u>	95	· · · · · · · · · · · · · · · · · · ·	USPAT;	2002/11/14 19:42
		AND ((search\$3 OR quer\$4 OR request\$3) NEAR4	EPO; JPO;	
Ì		(database\$1 OR storage\$1))	DERWENT;	
		(IBM_TDB	
l <u>_</u>	155	((search\$3 OR quer\$4 OR request\$3) NEAR6 (fail\$2))	USPAT;	2002/11/14 19:46
	100	NEAR20 ((search\$3 OR quer\$4 OR request\$3) NEAR4	EPO; JPO;	
		(database\$1 OR storage\$1))	DERWENT;	
		(database#1 OIX storage#1))	IBM_TDB	
	6	(((search\$3 OR quer\$4 OR request\$3) NEAR6 (fail\$2))	USPAT;	2002/11/14 19:47
-		NEAR20 ((search\$3 OR quer\$4 OR request\$3) NEAR4	EPO; JPO;	2002/ 1/14 10:17
		(database\$1 OR storage\$1))) AND (failover OR (fail ADJ1	DERWENT;	
	İ	over))	IBM_TDB	
_	83	4914571.uref.	USPAT;	2002/11/14 20:01
		1011071.4101.	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
_	0	5729736.pn. AND multicast\$3	USPAT;	2002/11/14 20:14
			EPO; JPO;	
		•	DERWENT:	
			IBM TDB	
_	0	5729736.uref. AND multicast\$3	USPAT;	2002/11/14 20:14
		6726766.droi. 744B Hiditiodotes	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	29	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3))	USPAT;	2002/11/14 20:16
	23	NEAR10 (database\$1 OR storage\$1)	EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
_	30	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR	USPAT;	2002/11/14 20:18
	1	request\$3 OR quer\$3)) NEAR10 (database\$1 OR storage\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	22	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR	USPAT;	2002/11/14 20:21
		request\$3 OR quer\$3)) NEAR20 ((multicast\$3 OR (multi	EPO; JPO;	
		ADJ1 cast\$3)) NEAR10 (database\$1 OR storage\$1))	DERWENT;	
			IBM_TDB	
<u>-</u>	23	(search\$3 OR quer\$4 OR request\$3) NEAR10 file\$1	USPAT;	2002/11/14 20:25
	1	NEAR10 (multicast\$3 OR (multi ADJ1 cast\$3))	EPO; JPO;	
		The street interested on the street of organisms	DERWENT:	1
			IBM_TDB	
_	28	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1	USPAT;	2002/11/14 21:37
	23	OR storage\$1) NEAR10 (multicast\$3 OR (multi ADJ1	EPO; JPO;	
		cast\$3))	DERWENT;	
		555.45//	IBM_TDB	
	1	I	1000	1

				•
-	6	(((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.)	USPAT; EPO; JPO;	2002/11/14 20:29
-	67	AND file\$1.ti,ab. ((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR	DERWENT; IBM_TDB USPAT;	2002/11/14 20:30
		storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.	EPO; JPO; DERWENT; IBM_TDB	
-	10	(ip NEAR2 address\$2) NEAR10 different NEAR10 subnet	USPAT; EPO; JPO; DERWENT;	2002/11/14 21:05
	1	5870537.pn. AND location\$1	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 21:19
-	2	5870537.pn. AND address\$2	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 21:33
	0	("6256673" "5506984" "5870537" "5692155").pn. AND (point NEAR8 protocol)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/15 14:07
-	5	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point NEAR4 protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 21:38
-	3	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 21:38
-	7	5857181.uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 15:30
-	2329	(manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 15:32
-	471	((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))) AND broadcast\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 15:32
-	133	(manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))).ab,ti. AND broadcast\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 16:08
-	5	((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))) ab,ti. AND broadcast\$3) AND (manipulat\$4 NEAR4 (information OR data))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 15:36
-	76	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND broadcast\$3 AND (manipulat\$4 NEAR10 (instruction\$1 OR command\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 16:11
-	18	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND broadcast\$3 AND ((manipulat\$4 NEAR10 (instruction\$1 OR command\$1)) NEAR20 (receive\$1 OR receiving))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 16:15
-	23	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND broadcast\$3 AND ((manipulat\$4 NEAR10 (instruction\$1 OR command\$1)) NEAR20 (transmit\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 16:17

-	147793	(broadcast\$3 OR transmit\$4 OR receiv\$3) NEAR8 (instruction\$1 OR command\$1)	USPAT; EPO; JPO;	2002/11/16 16:18
			DERWENT;	
	. 54600	(hrondonat\$3 OB transmit\$4 OB rossiv\$3) NEARS	IBM_TDB USPAT;	2002/11/16 16:19
-	54600	(broadcast\$3 OR transmit\$4 OR receiv\$3) NEAR8 (instruction\$1 OR command\$1) NEAR8 (information OR	EPO; JPO;	2002/11/10 10.19
		data)	DERWENT;	
			IBM_TDB	
-	76598	(broadcast\$3 OR transmit\$4 OR receiv\$3) WITH	USPAT;	2002/11/16 16:19
		(instruction\$1 OR command\$1) WITH (information OR data)	EPO; JPO;	
			DERWENT; IBM_TDB	
1_	2048	(broadcast\$3) WITH (instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:20
		(information OR data)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	. 197	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:20
		(information OR data))	EPO; JPO; DERWENT;	
1			IBM_TDB	
-	212	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1)	USPAT;	2002/11/16 16:21
		NEAR2 (information OR data))	EPO; JPO;	
			DERWENT; IBM_TDB	
l_	149	(broadcast\$3) NEAR1 ((instruction\$1 OR command\$1)	USPAT:	2002/11/16 16:24
_	143	NEAR2 (information OR data))	EPO; JPO;	2002/11/10 10:21
		, , , , , , , , , , , , , , , , , , , ,	DERWENT:	
	_		IBM_TDB	
-	9	(broadcast\$3) WITH ((instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:24
		(information OR data)) WITH manipulat\$4	EPO; JPO; DERWENT;	
			IBM_TDB	
_	6	("5857181" "5263156" "5530939").pn.	USPAT:	2002/11/18 05:27
			EPO; JPO;	
			DERWENT;	
	7428	 (distributed NEAR4 (database\$1 storage\$1))	IBM_TDB USPAT;	2003/08/01 14:37
-	1420	(distributed NEAR4 (database#1 storage#1))	EPO; JPO;	2000/00/01 14.07
			DERWENT;	
			IBM_TDB	
-	0	((distributed NEAR4 (database\$1 storage\$1))) AND dosm	USPAT;	2003/08/01 14:37
		·	EPO; JPO; DERWENT;	
			IBM TDB	
-	374	((distributed NEAR4 (database\$1 storage\$1))) AND (directory	USPAT;	2003/08/01 14:37
		NEAR2 (server\$1 database\$1))	EPO; JPO;	
		·	DERWENT;	
_	154	 (((distributed NEAR4 (database\$1 storage\$1))) AND	IBM_TDB USPAT;	2003/08/01 15:15
		(directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.	EPO; JPO;	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
		WARREN AND ADDRESS OF THE PARTY	IBM_TDB	0000/00/04 15 15
-	87	((((distributed NEAR4 (database\$1 storage\$1))) AND (directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.)	USPAT; EPO; JPO;	2003/08/01 15:15
		(directory NEAR2 (servers i databases i))) AND 707/\$.ccis.) AND (replica backup duplicate)	DERWENT;	
		,	IBM_TDB	
-	2	("6442548" "6081883" "6327614").pn. AND scalab\$8	USPAT;	2003/08/04 17:17
		·	EPO; JPO;	
			DERWENT; IBM_TDB	
_	2	("5692155" "5870537").pn. AND busy	USPAT;	2003/08/06 17:30
		<u> </u>	EPO; JPO;	
			DERWENT:	
	<u> </u>		IBM_TDB	

-	0	(tri ADJ1 (replica backup duplicat\$3))	USPAT;	2003/08/06 17:31
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	266	(three ADJ1 (replica backup duplicat\$3))	USPAT;	2003/08/06 17:31
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	1	707/204.ccls. AND tri	USPAT;	2003/08/06 17:33
		<i>,</i>	EPO; JPO;	
			DERWENT;	
Ì			IBM_TDB	
-	3	707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))	USPAT;	2003/08/06 17:32
•			EPO; JPO;	
			DERWENT;	
		707/004	IBM_TDB	0000/00/00 47:00
-	568	707/204.ccls.	USPAT;	2003/08/06 17:33
			EPO; JPO;	
			DERWENT;	
		707/004 41/5	IBM_TDB	0000/00/00 40:04
-	6	707/204.ccls. AND mosher.in.	USPAT;	2003/08/06 18:04
			EPO; JPO;	1
			DERWENT;	
		707/204 ania ANIO distributor#4	IBM_TDB USPAT;	2002/00/06 10:06
-	8	707/204.ccls. AND distributor\$1	EPO; JPO;	2003/08/06 18:06
			DERWENT;	
			IBM_TDB	
1_	223	707/204.ccls. AND (recovery)	USPAT;	2003/08/06 18:07
-	223	101/204.ccis. AIND (recovery)	EPO; JPO;	2000/00/00 10:07
	1	•	DERWENT;	
-			IBM_TDB	
_	0	6360306.pn. AND redunden\$2	USPAT;	2003/08/07 15:49
1			EPO; JPO;	=====================================
			DERWENT;	
1		·	IBM_TDB	
-	ĺ	6360306.pn. AND redund\$5	USPAT;	2003/08/07 15:52
i		•	EPO; JPO;	
1		·	DERWENT;	1
1			IBM_TDB	
-	1	6553389.pn. AND redund\$5	USPAT;	2003/08/07 15:51
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6360306.pn. AND multiple	USPAT;	2003/08/07 15:52
			EPO; JPO;	
			DERWENT;	
1		·	IBM_TDB	